

CHESTERFIELD PETANQUE CLUB - ACTIVITY/EVENT RISK ASSESSMENT

Activity/Event:

| |
|----------------|
| Petanque |
| Brian Eldridge |

Assessment Date:

| |
|------------|
| 03/09/2020 |
| BJE/20-1 |

| Hazard/Risk Site | People most likely to be affected | Control measures in place | Impact (I) | Likelihood (L) | Risk (I x L) | Additional Measures |
|---|---|--|---|---|--|--|
| Collision between pedestrian & vehicle | P,O,S | Public Car Park external piste controlled by park warden | 3 | 1 | 3 | None |
| Marquee | P,O,S | Check for correct erection, placement of guy ropes and pegs | 2 | 1 | 2 | Only at major events |
| Access for emergency vehicles | P,O,S | Access to the piste via the main car park | 1 | 1 | 1 | Access to the car park off Water Meadow Lane |
| Catering | P,O,S | Water urn, kettles, slow cooker and thermos flasks | 2 | 1 | 2 | Clear signage stating caution hot surfaces |
| Electricity | | RCD Protection in pavilion | 3 | 1 | 3 | None |
| Disabled access | P,O,S | Access to site by main car park with dropped kerbs to the piste, pavilion and play area | 1 | 1 | 1 | None |
| Toilets | P,O,S | Toilets in the pavilion are clearly signed | 1 | 1 | 1 | None |
| Playing surrounds | P,O,S, | Wooden surround potentially slippery when wet and trip hazard | 3 | 2 | 6 | None |
| Disabled Access | P,O,S | Access off main carpark via dropped kerb Flat access | 1 | 1 | 1 | None |
| Terrain Hygiene | P,O,S | Check piste sharps, fouling and debris | 1 | 1 | 1 | None |
| Lane Lines | P,O,S | Strings are coloured so as to be easily visible, fixed to the perimeter with eyelets and fixed along the length at regular intervals | 3 | 1 | 3 | Clear signage stating trip hazard |
| Circles | P | Lay flat on the ground | 2 | 1 | 2 | None |
| Boule throwing could hit players & spectators | P,O,S | Playing area protected by wooden surround and lower than seating area | 3 | 2 | 6 | None |
| Enter in this column all hazards and risks | P: Players O: Officials S: Spectators PU: Public M: Media | Enter in this column the details of the control measure or provide a reference to a standard procedure | 1: Trivial 2: Minor 3: Moderate 4: Major | 1: Unlikely 2: Possible 3: Probable 4: Certain | Evaluate the residual risk: 1-5: Low 6-10: Medium 11-16: High | |