

CHESTERFIELD PETANQUE CLUB - ACTIVITY/EVENT RISK ASSESSMENT

Activity/Event:

Petanque
Ian Kingman

Assessment Date:

18/12/2016
IK/1216

Hazard/Risk Site	People most likely to be affected	Control measures in place	Impact (I)	Likelihood (L)	Risk (I x L)	Additional Measures
Collision between pedestrian & vehicle	P,O,S	Public Car Park external piste controlled by park warden	3	1	3	None
Marquee	P,O,S	Check for correct erection, placement of guy ropes and pegs	2	1	2	Only at major events
Access for emergency vehicles	P,O,S	Access to the piste via the main car park	1	1	1	Access to the car park off Water Meadow Lane
Catering	P,O,S	Water urn, kettles, slow cooker and thermos flasks	2	1	2	Clear signage stating caution hot surfaces
Electricity		RCD Protection in pavilion	3	1	3	None
Disabled access	P,O,S	Access to site by main car park with dropped kerbs to the piste, pavilion and play area	1	1	1	None
Toilets	P,O,S	Toilets in the pavilion are clearly signed	1	1	1	None
Playing surrounds	P,O,S,	Wooden surround potentially slippery when wet and trip hazard	3	2	6	None
Disabled Access	P,O,S	Access off main carpark via dropped kerb Flat access	1	1	1	None
Terrain Hygiene	P,O,S	Check piste sharps, fouling and debris	1	1	1	None
Lane Lines	P,O,S	Strings are coloured so as to be easily visible, fixed to the perimeter with eyelets and fixed along the length at regular intervals	3	1	3	Clear signage stating trip hazard
Circles	P	Lay flat on the ground	2	1	2	None
Boule throwing could hit players & spectators	P,O,S	Playing area protected by wooden surround and lower than seating area	3	2	6	None
Enter in this column all hazards and risks	P: Players O: Officials S: Spectators PU: Public M: Media	Enter in this column the details of the control measure or provide a reference to a standard procedure	1: Trivial 2: Minor 3: Moderate 4: Major	1: Unlikely 2: Possible 3: Probable 4: Certain	Evaluate the residual risk: 1-5: Low 6-10: Medium 11-16: High	